



SANDING PADS

FOR AIR TOOLS AND POWER TOOLS



Company Profile

Sheng Chn was established in 1994 as the manufacturer & exporter for sanding pad of AIR & POWER TOOLS by Mr. Wei Chih Ming and his wife -Eva Chen. We Keep to developing new models step by step and new customers all the time. Today, we are pride of our quality products, competitive price and on-time delivery.

Our R & D department test and investigate each new developed model. After their approval, we start to purchase a small screw to every other part before assembly. We assemble carefully every step in our production line and do 100% inspection after it is finished. So that, we make sure that each sanding pad in different material is well taken care and packed correctly before shipment.

To better serve our customers, we have recently built a modern 24,000 square feet plant. We also maintain an extensive line of high quality items for you to choose from.

As our good reputation and qualify product, we are glad to have "O.E.M." and "O.D.M." cooperation with worldwide buyers. Please review our file and contact us for further information you need.



Sanding Pad Index

- 3** 1.5" ~ 3" Sanding Pad
- 4** 3" ~ 4.5" Sanding Pad
- 5-9** 5" ~ 6" Sanding Pad
- 10** 5" ~ 8" Sanding Pad
- 11** Vacuum Hand Sander
- 12** Sanding Board
- 13** Triangle Sanding Pad & Sanding Block
- 14** Hand Sanding Pad & Board
- 15** 5" ~ 6" Sanding Disc & Disc Holder
- 16** Turbo Backing Pad & Backing Pad
- 17** Rubber Backing Pad & Roll-On Holder
- 18** Roll- On Holder & Screw-On Holder
- 19** Felt Pad & Wool Wheel & Cloth Wheel
- 20** Conditioning Ball & Conditioning Wheel
- 20** Removal Sanding Disc for Holder
- 21** Eraser Rubber Pad, Soft Interface Pad & Interface Pad
- 22** Removal Sanding Pad for Disc Holder
- 23** Abrasive Disc, Conditioning Plate & Abrasive Belt
- 24** Conditioning Plate Kit
- 25** Conditioning Abrasive & Sponge Kit
- 26** Roll-on Conditioning Disc Kit
- 27** Surface Conditioning Disc Kit
- 28** 2" & 3" Surface Sanding Disc Kit & Mandrel
- 29** Surface Conditioning Abrasive Disc Kit
- 30** 3" Sander / Buffer Versatility Kit
- 31** Sanding Drum & Sanding Sleeve Kit
- 32** Rubber Sanding Drum & Sanding Sleeve
- 33** Straight Line Sander, Sanding Pad & Hand Sander
- 34** Straight Line Sanding Pad & Hand Sander Kit
- 35** Oil Filter Wrench Kit
- 36** Sponge With Velour Backing & Wool Pad

1.5"~3" Sanding Pad

Backing Face : UC151 is vinyl, UC152 is velcro



Diameter: 1-1/2"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 15,000

UC151
UC152



Diameter: 2"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 15,000

UC201
UC202



Diameter: 2"
Thread: 5/16" x24
RPM: 15,000

UC201A
UC202A



Diameter: 3"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 15,000

UC201D
UC202D



Diameter: 3"
Thread: 6mm x1.0
1/4" x20
RPM: 15,000

UC301
UC302



Diameter: 3"
Thread: 5/16" x24
RPM: 15,000

UC301A
UC302A



Diameter: 3"
Thread: 5/16" x24
RPM: 15,000

UC301B
UC302B



Diameter: 3"
Thread: 6mm x1.0
1/4" x20
RPM: 15,000

UC301D
UC302D



Diameter: 3"
Thread: 6mm x1.0
1/4" x20
RPM: 15,000

UC301F
UC302F



Diameter: 2"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 25,000

UF201
UF202



Diameter: 3"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 15,000

UF301
UF302



Diameter: 3"
Thread: 6mm x1.0
5/16" x24
1/4" x20
RPM: 15,000

UF301D
UF302D

3"~4.5" Sanding Pad

Backing Face : UR301 is vinyl, UR302 is velcro



Roll Lock Sanding Pad

UR201
UR202
UR301
UR302

Diameter: 2 & 3"
are available
RPM: 6,000



UF301AU
UF302AU

Diameter: 3"
Thread: 5/16" x24
Thickness: 15mm
RPM: 15,000



UF351
UF352

Diameter: 3-1/2"
Thread: 5/16" x24
Thickness: 10mm
RPM: 15,000



UF351A
UF352A

Diameter: 3-1/2"
Thread: 5/16" x24
Thickness: 18mm
RPM: 15,000



UF401
UF402

Diameter: 4"
Thread: 5/16" x24
Thickness: 10mm
RPM: 12,000



UF451
UF452

Diameter: 4-1/2"
Thread: 5/16" x24
Thickness: 10mm
RPM: 10,000



UP3014
UP3024

Diameter: 3"
Thread: 5/8" x11; M10 x1.25;
M10 x1.5; M14 x2.0;
M16 x2.0; 6mm x1.0;
1/4" x20
RPM: 20,000



UP4514
UP4524

Diameter: 4-1/2"
Thread: 5/8" x11; M10 x1.25;
M10 x1.5; M14 x2.0;
M16 x2.0
RPM: 10,000



UP4014
UP4024

Diameter: 4"
Thread: 5/8" x11; M10 x1.25;
M10 x1.5; M14 x2.0;
M16 x2.0
RPM: 15,000



UP4014-1
UP4024-1

Diameter: 4"
Thread: 5/8" x11; M10 x1.25;
M10 x1.5; M14 x2.0;
M16 x2.0
RPM: 15,000



EP3024
EP4024
EP4524

EVA Sanding Pad

Diameter: 3" & 4" & 4-1/2"
Thread: 5/8" x 11 ; M14x2.0 ;
M16x2.0
Thickness: 20mm
Backing Face: Velcro
RPM: 5,000~8,000

5"~6" Sanding Pad

Backing Face : UF501 is vinyl, UF502 is velcro



Diameter: 5"
Thread: 5/16" x24
Thickness: 10mm
RPM: 12,000

UF501
UF502



Diameter: 5"
Thread: 5/16" x24
Thickness: 10mm
RPM: 12,000

UF501-1
UF502-1



Diameter: 5"
Thread: 5/16" x24
Thickness: 16mm
RPM: 12,000

UF501A
UF502A



Diameter: 5"
Thread: 5/16" x24
Thickness: 16mm
RPM: 12,000

UF501AU
UF502AU



Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
RPM: 12,000

UF601
UF602



Diameter: 6"
Thread: 5/16" x24
Thickness: 16mm
RPM: 12,000

UF601A
UF602A



Diameter: 5"
Thread: 5/16" x24
Thickness: 15mm
RPM: 10,000

UB501
UB502



Diameter: 5"
Thread: 5/16" x24
Thickness: 15mm
RPM: 10,000

UE501
UE502



Diameter: 6"
Thread: 5/16" x24
Thickness: 11mm
RPM: 10,000

UD601
UD602



Diameter: 6"
Thread: 5/16" x24
Thickness: 15mm
RPM: 10,000

UE601
UE602

5"~6" Sanding Pad

Backing Face : UB5014 is vinyl, UB5024 is velcro

UB5014
UB5024



Diameter: 5"
Center: 8mm
RPM: 10,000

UP5A1
UP5A2



Diameter: 5"
Thread: 5/16" x24
RPM: 10,000

UP5A14
UP5A24



Diameter: 5"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM: 10,000

UP5014
UP5024



Diameter: 5"
Thread: 5/8" x11
M10 x1.25
M10 x1.5
M14 x2.0
M16 x2.0
RPM: 10,000

UP6014
UP6024



Diameter: 6"
Thread: 5/8" x11
M14 x2.0
M16 x2.0
RPM: 10,000

UP6014-1
UP6024-1



Diameter: 6"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM: 7,000

UP6014-2
UP6024-2



Diameter: 6"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM: 8,000

UC5014
UC5024



Diameter: 5"
Thread: 5/8" x11 or M14 x2.0
RPM: 10,000

UC5014-1
UC5024-1



Diameter: 5"
Thread: 5/8" x11 or M14 x2.0
RPM: 10,000

UC5014A
UC5024A



Diameter: 5"
Thread: 5/8" x11 or M14 x2.0
RPM: 10,000

UC6014
UC6024



Diameter: 6"
Thread: 5/8" x11 or M14 x2.0
RPM: 10,000

5"~6" Sanding Pad

Backing Face : UE551 is vinyl, UE552 is velcro



Diameter: 5"
Thread: 5/16" x24
Hole: 5
Thickness: 15mm
RPM: 10,000

UE551
UE552



Diameter: 5"
Thread: 5/16" x24
Hole: 6
Thickness: 15mm
RPM: 10,000

UE561
UE562



Diameter: 6"
Thread: 5/16" x24
Hole: 6
Thickness: 15mm
RPM: 10,000

UE661
UE662




Diameter: 5"
Hole: 5
RPM: 10,000

UF5513
UF5523



Diameter: 5"
Hole: 6
RPM: 10,000

UF5613
UF5623




Diameter: 5"
Hole: 8
RPM: 10,000

UF5813
UF5823



Diameter: 5"
Hole: 8
RPM: 10,000

UF5814
UF5824




Diameter: 5"
Hole: 8
RPM: 10,000

UF5813A
UF5823A



Diameter: 5"
Hole: 8
RPM: 10,000

UF5813B
UF5823B



Diameter: 5"
Hole: 4
RPM: 10,000

UF5041
UF5042



Diameter: 6"
Hole: 8
RPM: 10,000

UF6081
UF6082



Diameter: 6"
Hole: 6
RPM: 10,000

UF6661
UF6662

5"~6" Sanding Pad

Backing Face : UF551 is vinyl, UF552 is velcro



**UF551
UF552**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 5
RPM: 12,000



**UF551A
UF552A**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 16mm
Hole: 5
RPM: 12,000



**UF551AU
UF552AU**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 16mm
Hole: 5
RPM: 12,000



**UF561
UF562**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 6
RPM: 12,000



**UF561AU
UF562AU**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 16mm
Hole: 6
RPM: 12,000



**UF581
UF582**

Diameter: **5"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 8
RPM: 12,000



**UF661
UF662**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 6
RPM: 12,000



**UF661-1
UF662-1**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 6
RPM: 12,000



**UF661A
UF662A**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 16mm
Hole: 6 inside holes
RPM: 12,000



**UF6611
UF6622**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 6
RPM: 12,000



**UF681
UF682**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 8
RPM: 12,000



**UF6181B
UF6182B**

Diameter: **6"**
Thread: **5/16" x24**
Thickness: 10mm
Hole: 8 + 1
RPM: 12,000

5"~6" Sanding Pad

Backing Face : UF5161A is vinyl, UF5162A is velcro



UF5161A
UF5162A

Diameter: 5"
Thread: 5/16" x24
Thickness: 10mm
Hole: 6 side holes
6 inside holes
RPM: 12,000



UF6161A
UF6162A

Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
Hole: 6 side holes
6 inside holes
RPM: 12,000



UF681G
UF682G

Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
Hole: 8
RPM: 12,000



UF6181A
UF6182A

Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
Hole: 8 side holes
15 inside holes
RPM: 12,000



UF51171
UF51172

Diameter: 5"
Thread: 5/16" x24
Thickness: 10mm
Hole: 8 open +16 +1 holes
RPM: 12,000



UF6151
UF6152

Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
Hole: 6 inside (open)
14 + 1 backing
RPM: 12,000



UF5044

Diameter: 5"
Thread: 5/16" x24
Thickness: 10mm
Hole: 44 inside holes
RPM: 12,000



UF6052

Diameter: 6"
Thread: 5/16" x24
Thickness: 10mm
Hole: 52 inside holes
RPM: 12,000



UF61171
UF61172

Diameter: 6"
Thread: M8x1.0 & 5/16" x24
Thickness: 10mm
Hole: 17 inside holes
RPM: 12,000

5"~8" Sanding Pad

Backing Face : UP7014 is vinyl, UP7024 is velcro



**UP7014
UP7024**

Diameter: 7"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM:8,500



**UP7A14
UP7A24**

Diameter: 7"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM:8,500



**UP7014-1
UP7024-1**

Diameter: 7"
Thread: 5/8" x 11
M14 x 2.0
M16 x 2.0
RPM:8,500



**UC701
UC702**

Diameter: 7"
Thread: 5/8" x 11
M14 x 2.0
RPM:10,000



**UC801
UC802**

Diameter: 8"
Thread: 5/8" x 11
M14 x 2.0
RPM: 3,600



**BP5024
BP6024
BP7024**

Black Stripping Pad

Diameter: 5" & 6" & 7"
Thread: 5/8" x 11 ; M14x2.0 ; M16x2.0
Backing Face: Aluminum Oxide Abrasive
RPM: 5,000



**CP5024
CP6024
CP7024**

Conditioning Pad

Diameter: 5" & 6" & 7"
Thread: 5/8" x 11 ; M14x2.0 ; M16x2.0
Backing Face: Aluminum Oxide
Abrasive
RPM: 5,000



**EP5024
EP6024
EP7024**

EVA Sanding Pad

Diameter: 5" & 6" & 7"
Thread: 5/8" x 11 ; M14x2.0 ; M16x2.0
Thickness: 20mm
Backing Face: Velcro
RPM: 5,000~8,000



**SDBU7004
SDBU7014
SDBU7024**

Diameter: 7"
Thread: 5/8" x 11 ; M14x2.0 ; M16x2.0
Thickness: 12mm
Backing Face: Cloth or Vinyl or Velcro
RPM: 5,000
Diameter: 5" & 6" & 7" are available.




**SDBA7004
SDBA7014
SDBA7024**

Diameter: 7"
Thread: 5/8" x 11 ; M14x2.0 ; M16x2.0
Thickness: 12mm
Backing Face: Cloth or Vinyl or Velcro
RPM: 5,000
Diameter: 5" & 6" & 7" are available.

Vacuum Hand Sander

Backing Face : vinyl & velcro are available.




VS-SC1

W70mm x L125mm
Air inlet: 20mm



VS-SC2

W90mm x L175mm
Air inlet: 20mm



VS-SC3

W115mm x L227mm
Air inlet: 20mm



VS-SC4

W70mm x L400mm
Air inlet: 20mm



VS-301

W70mm x L125mm
Backing with 15 holes
Air inlet: 25mm



VS-302

W90mm x L175mm
Backing with 12 holes
Air inlet: 25mm



VS-303

W115mm x L227mm
Backing with 10 holes
Air inlet: 25mm



VS-3011

W70mm x L125mm
Backing with 15 holes
Air inlet: 15 to 30mm



VS-3022

W90mm x L175mm
Backing with 12 holes
Air inlet: 15 to 30mm



VS-3033

W115mm x L227mm
Backing with 10 holes
Air inlet: 15 to 30mm



VS-3044

W80mm x L133mm
Backing with 16 holes
Air inlet: 15 to 30mm



VS-3055

W70mm x L195mm
Backing with 11 holes
Air inlet: 15 to 30mm



Hose

φ20mm x L4M
For vacuum hand sander
Connects the vacuum hand sander
to a dust extraction system

Sanding Board



205

W113mm x L222mm




206

W91mm x L174mm




2306

W96mm x L176mm




DY57850

W89mm x L176mm



803B4D

W93mm x L175mm



813

W96mm x L108mm



813A

W96mm x L108mm

Triangle Sanding Pad & Sanding Block



P7112
P7116 W78mm x L75mm



P7212
P7216 W78mm x L75mm



P7412
P7416 W70mm x L70mm



P7312
P7316 W70mm x L70mm



P7732
P7736 W90mm x L130mm




P7931-1
P7932-1 W100mm x L148mm



P7731-1
P7732-1 W90mm x L135mm



P8940 W40mm x L89mm



EH137 W70mm x L135mm



EH137H W65mm x L130mm



EH530 W75mm x L130mm

Sanding Block

Backing Face: Velcro



UH632E W90mm x L150mm



UH632A W85mm x L153mm



UH632B W90mm x L155mm



UH6KS



UH632C W90mm x L155mm



UH632D W90mm x L153mm

Hand Sanding Pad & Board

Backing Face : UH631F is vinyl, UH632F is velcro



UH631F
UH632F W90mm x L155mm
Vinyl or Velcro



UH631E W90mm x L150mm
Vinyl




UH632E W90mm x L150mm
Velcro



UH631
UH632 W90mm x L150mm
Vinyl or Velcro



UH741
UH742 W98mm x L180mm
Vinyl or Velcro



UH481
UH482 W68mm x L123mm
Vinyl or Velcro



UH431
UH432 W74mm x L102mm
Vinyl or Velcro




UH531
UH532 W70mm x L135mm
Vinyl or Velcro




UH561
UH562 Diameter: 5"
Vinyl or Velcro



UH661
UH662 Diameter: 6"
Vinyl or Velcro



UH201
UH202 2" Water Feed Pad
Center Hole: 7/8"
Backing: Vinyl or Velcro



UH301
UH302 3" Water Feed Pad
Center Hole: 7/8"
Backing: Vinyl or Velcro



UH311
UH312 3" Water Feed Pad
Center Hole: 7/8"
Backing: Vinyl or Velcro



UH171
UH172 W70mm x L440mm
Vinyl or Velcro



PH1601
PH1602 W70mm x L440mm
Vinyl or Velcro



UH101
UH102 Sanding Board
Diameter: 30mm
Backing: Vinyl or Velcro



PH400K 4" Plastic Spreader Set
(20pcs)



PH500K Plastic Spreader Set
(3pcs)
Diameter: 2-1/2" & 4" & 5"



UH101K
UH102K Sanding Board x 1pc
Diameter: 30mm
Backing: Vinyl or Velcro
Abrasive Disc x 6pcs

5"~6" Sanding Disc

RM500



Diameter: 5"
Shank: 6mm or 1/4"
Material: Rubber
RPM: 6,000
Diameter: 3" & 4" & 5" & 6" & 7" are available.

EM501
EM502



Diameter: 5"
Shank: 6mm or 1/4"
Material: EVA ; ABS
Backing Face: Vinyl or Velcro
RPM: 10,000

EP501
EP502



Diameter: 5"
Thread: 5/16" x24
Material: EVA ; ABS
Backing Face: Vinyl or Velcro
RPM: 10,000

EP601
EP602



Diameter: 6"
Thread: 5/16" x24
Material: EVA ; ABS
Backing Face: Vinyl or Velcro
RPM: 10,000

Disc Holder

EL207
EL307

Diameter: 2" & 3"
Shank: 6mm or 1/4"
Material: EVA
Backing Face: Velcro
RPM: 20,000~25,000



EIV157
EIV207
EIV307

Diameter: 1-1/2" & 2" & 3"
Thread: 1/4" x20
Material: EVA
Backing Face: Velcro
RPM: 30,000



RP105 RP305
RP155 RP405
RP205

Power Lock Disc Holder
Diameter: 1" & 1-1/2" & 2" & 3" & 4"
Shank: 6mm x1.0; 1/4" x20
Material: Rubber
RPM: 10,000~20,000



RM307

Diameter: 3"
Shank: 6mm x1.0
1/4" x20
Material: Rubber
RPM: 10,000



HEF301
HEF302

Diameter: 3"
Shank: 6mm x1.0
1/4" x20
Backing Face: Vinyl or Velcro
RPM: 10,000~20,000



HE301
HE302

Diameter: 3"
Shank: 6mm x1.0
1/4" x20
Backing Face: Vinyl or Velcro
RPM: 10,000~20,000



Backing for:
PT454-ON,
PT704-ON,
PT904-ON



Turbo Backing Pad

PT454-ON
PT704-ON
PT904-ON

Diameter: 4-1/2" & 7" & 9"
Thread: 5/8" x11; M14x2.0,
M16x2.0




Flat without hole

Turbo Backing Pad

Turbo Pad resists high temperature!



BACK FOR
PT404, PT454, PT504,
PT704, PT904



BACK FOR
PT404-O, PT454-O, PT504-O,
PT704-O, PT904-O



PT404
PT404-O

Diameter: 4"
Thread: 3/8" x24
M10x1.25
M10x1.5
RPM: 20,000



PT454
PT454-O

Diameter: 4-1/2"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 20,000



PT504
PT504-O

Diameter: 5"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 20,000



PT704
PT704-O

Diameter: 7"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 10,000



PT904
PT904-O

Diameter: 9"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 9,000

Backing Pad



BACK FOR
RC4544, RC5044,
RC7034

UE700

Diameter: 7"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 8,500



FRONT



BACK



RC3013
RC3014

Diameter: 3"
Thread: 5/8" x11
M14x2.0
M16x2.0
Hole: 3 or 4 holes
RPM: 20,000



RC4544

Diameter: 4-1/2"
Thread: 5/8" x11
M14x2.0
M16x2.0
Hole: 4 holes
RPM: 10,000



RC5044

Diameter: 5"
Thread: 5/8" x11
M14x2.0
M16x2.0
Hole: 4 holes
RPM: 10,000



RC7034

Diameter: 7"
Thread: 5/8" x11
M14x2.0
M16x2.0
Hole: 3 holes
RPM: 8,500

Rubber Backing Pad

Backing Face : RT304 is velcro, RT314 is bare

RT304
RT314



Diameter: 3"
Thread: M10x1.25
M10x1.5
5/8" x11
M14x2.0
M16x2.0
RPM: 20,000

RW414
RW424
RW4514
RW4524



Diameter: 4" & 4-1/2"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 10,000

RT404
RT414



Diameter: 4"
Thread: M10x1.25
M10x1.5
5/8" x11
M14x2.0
M16x2.0
RPM: 20,000

RW514
RW524



Diameter: 5"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 10,000

RT504
RT514



Diameter: 5"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 10,000

RC5814
RC5824



Diameter: 5"
Hole: 8 holes
RPM: 15,000

RT604
RT614



Diameter: 6"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 10,000

RT704
RT714



Diameter: 7"
Thread: 5/8" x11
M14x2.0
M16x2.0
RPM: 7,000

Roll-On Holder



BACK FOR
RR104, RR154, RR204, RR304,
RR404, RR104A, RR154A,
RR204A, RR204D, RR304A,
RR304C

Removable Shank

Thread:
6mmx1.0
1/4"x20
3/8"x24
5/16"x24
M8x1.0
M10x1.5
M10x1.25



RR104

Diameter: 1"
RPM: 30,000

RR154

Diameter: 1-1/2"
RPM: 30,000



RR204

Diameter: 2"
RPM: 30,000



RR304

Diameter: 3"
RPM: 20,000



RR404

Diameter: 4"
RPM: 10,000



Roll-On Holder

Thread 3/8"x24; 5/16"x24; M8 x1.0; M10 x1.5; M10 x1.25 are available.

RR104A

Diameter: 1"
Thread: 6mmx1.0
or 1/4"x20
RPM: 30,000



R154A

Diameter: 1-1/2"
Thread: 6mmx1.0
or 1/4"x20
RPM: 30,000



RR204A

Diameter: 2"
Thread: 6mmx1.0
or 1/4"x20
RPM: 25,000



RR204D

Diameter: 2"
Thread: 1/4"x20
RPM: 30,000



RR304A

Diameter: 3"
Thread: 6mmx1.0
or 1/4"x20
RPM: 20,000



RR304C

Diameter: 3"
Thread: 3/8"x24
RPM: 20,000



Screw-On Holder

Thread: 6mm x1.0; 1/4" x20; 3/8"x24; 5/16" x24; M8x1.0; M10 x1.5; M10 x1.25 are available.



BACK FOR
RS103, RS153,
RS203, RS303,
RS403, RS103A,
RS153A, RS203A,
RS303A

RS103



Diameter: 1"
RPM: 30,000

RS153



Diameter: 1-1/2"
RPM: 30,000

RS203



Diameter: 2"
RPM: 30,000

RS303



Diameter: 3"
RPM: 20,000

RS403



Diameter: 4"
RPM: 10,000

RS103A



Diameter: 1"
RPM: 30,000

RS153A



Diameter: 1-1/2"
RPM: 30,000

RS203A



Diameter: 2"
RPM: 25,000

RS303A



Diameter: 3"
RPM: 20,000

Felt Pad & Wool Wheel & Cloth Wheel

Customer Request Are Available

Felt Pad

RPM: 10,000




Item No.	DIA.	Center	Thickness
FM4071310	4"	13mm	10mm
FM4074013	4"	40mm	13mm
FM5071010	5"	10mm	10mm
FM6071515	6"	15mm	15mm
FM6072515	6"	25mm	15mm
FM8071315	8"	13mm	15mm

Wool Wheel

- FM157 1-1/2"
- FM207 2"
- FM307 3"
- FM407 4"

Shank: 6mm or 1/4"
Material: Wool
RPM: 4,000



Wool Pad

- LM03SV 3"
- LM04SV 4"
- LM05SV 5"
- LM06SV 6"
- LM08SV 8"
- LM10SV 10"

Velcro Backing



Cloth Wheel

- D0207 2"
- D0307 3"
- D0357 3-1/2"
- D0407 4"


Shank: 6mm or 1/4"
Material: Cotton
RPM: 4,000



- D0207FS 2"
- D0307FS 3"
- D0357FS 3-1/2"
- D0407FS 4"

Cloth Wheel


Diameter: Customer Request
Center: 6mm or 1/4"
or Customer Request
Thickness: Customer Request
Layer: Customer Request
Material: Cotton



Item No.	Dia.	Center	Thickness
D03Z612	3"	6mm or 1/4"	12mm
D061212	6"	12mm or 1/4"	12mm
D061215	6"	12mm or 1/4"	15mm
D081215	8"	12mm or 1/4"	15mm

Cloth Wheel

Diameter: Customer Request
Center: 12mm or 1/2" or Customer Request
Thickness: Customer Request
Layers: 50 or Customer Request
Material: Cotton



DN03W 3"

DN06W 6"

DN10W 10"

Conditioning Ball

Diameter: 2" & 3" & 4"
 Shank: 1/4"
 CM4013: Yellow - Coarse
 CM4023: Red - Medium
 CM4033: Green - Fine
 RPM: 5,000



CM4013
Coarse



CM4023
Medium



CM4033
Fine

Conditioning Wheel



BM157
 BM207
 BM307
 BM407

Diameter: 1-1/2" & 2" & 3" & 4"
 Shank: 6mm or 1/4"
 Thickness: 10 mm or 20 mm
 RPM: 6,000



CM157
 CM207
 CM307
 CM407

Diameter: 1-1/2" & 2" & 3" & 4"
 Shank: 6mm or 1/4"
 Thickness: 10 mm or 20 mm
 RPM: 6,000

Removal Sanding Disc for Holder

FS403-1

Diameter: 4"
 Backing Face: Synthetic
 RPM: 10,000



Felt Disc Pad

AOPG403

Diameter: 4"
 Backing Face: Aluminum Oxide
 RPM: 10,000



Conditioning Pad

FS153, FS203
 FS303, FS403

Diameter: 1-1/2" & 2" & 3" & 4"
 Thickness: 5mm or 10 mm
 or 20 mm
 RPM: 15,000~25,000



Felt Disc Roll-On Holder

ES1013-10
 ES1023-10

Diameter: 31mm
 Thickness: 10mm
 Material: EVA
 Backing Face: Vinyl or Velcro
 RPM: 25,000



Soft Disc
for Roll-On Holder

ES1513-10
 ES1523-10

Diameter: 1-1/2"
 Thickness: 10 mm
 Material: EVA
 Backing Face: Vinyl or Velcro
 RPM: 25,000



Soft Disc
for Roll-On Holder

ES2013-20
 ES2023-20
 ES3013-20
 ES3023-20

Diameter: 2" & 3"
 Thickness: 20mm
 Material: EVA
 Backing Face: Vinyl or Velcro
 RPM: 25,000



Soft Disc
for Roll-On Holder

BS203
 BS303
 BS403

Diameter: 2" & 3" & 4"
 Material: Aluminum Oxide
 RPM: 15,000



Stripping Disc

PS203
 PS303
 PS403

Diameter: 2" & 3" & 4"
 Material: Aluminum Oxide
 RPM: 15,000



Stripping Disc

Eraser Rubber Pad



RO400-A
4" Eraser Rubber Pad
 Thread: 5/16" x24
 RPM: 4,000



RO400
Mandrel
 Thread: 5/16" x24
 Shank: 6mm



RO400-AK
4" Eraser Rubber Pad
 Thread: 5/16" x24
 RPM: 4,000



RO400K
4" Eraser Rubber Pad with Mandrel Kit
 Thread: 5/16" x24
 Shank: 6mm

Soft Interface Pad

Backing Face: Velcro



Material: Wool

LM03SV 3"
 LM04SV 4"
 LM05SV 5"
 LM06SV 6"
 LM08SV 8"
 LM10SV 10"



UB3524

Diameter: 3-1/2"
 RPM: 15,000



E30020-10
E50020-10
E60020-10

Diameter: 3"
 5"
 6"
 RPM: 12,000



E50520-10

Diameter: 5"
 Hole: 5
 RPM: 12,000



E50620-10

Diameter: 5"
 Hole: 6
 RPM: 12,000



E60620-10

Diameter: 6"
 Hole: 6
 RPM: 12,000



E61620-10

Diameter: 6"
 Hole: 6+1 holes
 RPM: 12,000



E61820-10

Diameter: 6"
 Hole: 8+1 holes
 RPM: 12,000



E61820-15

Diameter: 6"
 Hole: 14+1 holes
 RPM: 12,000

Hand Sanding Pad & Interface Pad



EH602
Hand Sanding Pad
 Diameter: 6"
 Material: EVA + Velcro
 Backing



HL50520
Interface Pad
 Diameter: 5"
 Hole: 5
 Required By customer



HL50620
Interface Pad
 Diameter: 5"
 Hole: 6
 Required By customer



HL61820N
Interface Pad
 Diameter: 6"
 Hole: 8 + 1 + 20 holes
 Required By customer

Removal Sanding Pad for Disc Holder

Aluminum Oxide



	Conditioning Disc	
	Dia.	RPM
C2013	1"	30,000
C2023	1-1/2"	30,000
C2033	2"	30,000
C3013	3"	20,000
C3023	4"	10,000
C3033		
C4013		
C4023		
C4033		


Yellow - Coarse
Red - Medium
Green - Fine



	Abrasive Disc	
	Dia.	RPM
AA203-100	1"	30,000
AA303-100	1-1/2"	30,000
AA403-100	2"	30,000
AS203-100	3"	25,000
AS303-100	4"	10,000
AS403-100		

AA203-100: Aluminum Oxide
AS203-100: Silicon Carbide

Grit: #24 ~ #400



	Abrasive Disc	
	Dia.	RPM
AZ203-100	1"	30,000
AZ303-100	1-1/2"	30,000
AZ403-100	2"	30,000
	3"	25,000
	4"	10,000

AZ203-100: Zirconia

Grit: #24 ~ #400



	Conditioning Disc	
	Dia.	RPM
C201P	1"	30,000
C202P	1-1/2"	30,000
C203P	2"	30,000
C301P	3"	20,000
C302P	4"	10,000
C303P		
C401P		
C402P		
C403P		

Yellow - Coarse
Red - Medium
Green - Fine




	Abrasive Disc	
	Dia.	RPM
AA20P-100	1"	30,000
AA30P-100	1-1/2"	30,000
AA40P-100	2"	30,000
AS20P-100	3"	25,000
AS30P-100	4"	10,000
AS40P-100		
AZ20P-100		
AZ30P-100		
AZ40P-100		

AA20P-100: Aluminum Oxide
AS20P-100: Silicon Carbide
AZ20P-100: Zirconia

Grit: #24 ~ #400


Abrasive Disc



Diameter: 2" & 3" & 4" & 5" & 6" & 7" & 8"
Backing Face: Flannel Attached

ADVHC02: Yellow - 2" Coarse
ADVHM02: Red - 2" Medium
ADVHF02: Green - 2" Fine

Conditioning Plate



CPC015
CPM015
CPF015
CPC020
CPM020
CPF020
CPC030
CPM030
CPF030

Diameter: 1-1/2" & 2" & 3" & 4"
Mandrel: 1/4"
RPM: 5,000

CPC015: Yellow - 1-1/2" Coarse
CPM015: Red - 1-1/2" Medium
CPF015: Green - 1-1/2" Fine

Abrasive Belt



18" x 20mm
18" x 13mm
18" x 10mm
18" x 6mm
Required by customer

Conditioning Plate Kit

CPK24CMF

- * **4" Conditioning Disc**
CPC040 x 2pcs
CPM040 x 2pcs
CPF040 x 2pcs
- * **3" Conditioning Disc**
CPC030 x 2pcs
CPM030 x 2pcs
CPF030 x 2pcs
- * **2" Conditioning Disc**
CPC020 x 2pcs
CPM020 x 2pcs
CPF020 x 2pcs
- * **1-1/2" Conditioning Disc** * **Mandrel: 1/4"**
CPC015 x 2pcs
CPM015 x 2pcs
CPF015 x 2pcs



Yellow - Coarse
Red - Medium
Green - Fine



Dia: 1-1/2", 2", 3", 4"
Mandrel: 1/4"
RPM: 5,000

CPC015K
CPM015K
CPF015K



1-1/2" Conditioning Plate - 10pcs

CPC020K
CPM020K
CPF020K



2" Conditioning Plate - 5pcs

CPC030K
CPM030K
CPF030K



3" Conditioning Plate - 5pcs

CPC040K
CPM040K
CPF040K



4" Conditioning Plate - 5pcs



10pcs
1-1/2" mix
CPCMF015K



20pcs
header card packing
CPC015B
CPM015B
CPF015B



20pcs
header card packing
CPC020B
CPM020B
CPF020B



10pcs
header card packing
CPC030B
CPM030B
CPF030B



5pcs
header card packing
CPC040B
CPM040B
CPF040B

Conditioning Abrasive & Sponge Kit

UC202K

2" Sanding Pad Kit

* **2" Sanding Pad** x1pc
 Thread: 1/4" x20 or
 6mm x1.0 or
 5/16" x24
 RPM:15,000

* **2" Abrasive Disc:**
 #100 x 5pcs
 #150 x 5pcs
 Material: Aluminum Oxide



UP3024K

Foam Sanding Pad

* **3" Foam Sanding Pad**
 Thread: 5/8" x11 or M14 x2.0
 RPM:15,000

* **Sand Paper Discs x 10PCS**
 #80 grit x 2pcs
 #120 grit x 2pcs
 #240 grit x 2pcs
 #320 grit x 2pcs
 #600 grit x 2pcs



RR104K
 RR154K
 RR204K
 RR304K
 RR404K

Rolok Disc Holder

Diameter: 1" & 1-1/2" & 2" & 3" & 4"
 Thread: 1/4" x20 or 6mmx1.0



RS103K
 RS153K
 RS203K
 RS303K
 RS403K

Screwed-On Disc Holder

Diameter: 1" & 1-1/2" & 2" & 3" & 4"
 Thread: 1/4" x20 or 6mmx1.0



UC30K

Thread: **6mm x1.0** or **1/4" x20**
 * **3" Sanding Pad**
 * **3" Foam:** Yellow & White
 * **3" Wool Bonnet**
 Backing Face: Velcro
 RPM: 15,000



UC3AK

Thread: **5/16" x24**
 * **3" Sanding Pad**
 * **3" Foam:** Yellow & White
 * **3" Wool Bonnet**
 Backing Face: Velcro
 RPM: 15,000



UC3BK

Thread: **5/16" x24**
 * **3" Sanding Pad**
 * **3" Foam:** Yellow & White
 * **3" Wool Bonnet**
 Backing Face: Velcro
 RPM: 15,000

2" & 3" EVA Pad with 4pcs Abrasives Disc

Diameter: 2" or 3"
 Shank: **6mm** or **1/4"**
 Backing Face: Velcro
 RPM: 20,000~25,000



EL207K
 EL307K

2" & 3" Sanding Pad Kit

Diameter: 2" or 3"
 * **Thread:** **1/4" x20** or **6mm x1.0**
 * **Sanding Pad** x1pc
 * **Abrasive Disc** x2pcs
 Backing Face: Velcro
 RPM: 20,000~25,000



PM202K
 PM302K

Roll-On Conditioning Disc Kit

10PCS

Item No.	Dia.	RPM
AA103-24	1"	30,000
AA153-24	1-1/2"	30,000

Material: Aluminum Oxide

Grit: #24; #40; #60; #80; #100; #120; #150; #180; #240; #320; #400



Item No.	Dia.	RPM
AZ103-24	1"	30,000
AZ153-24	1-1/2"	30,000

Material: Zirconia

Grit: #24; #40; #60; #80; #100; #120



5PCS

Item No.	Dia.	RPM
AA203-24	2"	30,000
AA303-24	3"	25,000
AA403-24	4"	10,000

Material: Aluminum Oxide

Grit: #24; #40; #60; #80; #100; #120; #150; #180; #240; #320; #400



Item No.	Dia.	RPM
AZ203-24	2"	30,000
AZ303-24	3"	25,000
AZ403-24	4"	10,000

Material: Zirconia

Grit: #24; #40; #60; #80; #100; #120



10PCS

Item No.	Dia.	Grit	RPM
C1013K	1"	Coarse	30,000
C1023K	1"	Medium	30,000
C1033K	1"	Fine	30,000
C1513K	1-1/2"	Coarse	30,000
C1523K	1-1/2"	Medium	30,000
C1533K	1-1/2"	Fine	30,000

Material: Aluminum Oxide



C1013K
C1513K
Coarse



C1023K
C1523K
Medium



C1033K
C1533K
Fine

5PCS

Item No.	Dia.	Grit	RPM
C2013K	2"	Coarse	30,000
C2023K	2"	Medium	30,000
C2033K	2"	Fine	30,000
C3013K	3"	Coarse	20,000
C3023K	3"	Medium	20,000
C3033K	3"	Fine	20,000
C4013K	4"	Coarse	10,000
C4023K	4"	Medium	10,000
C4033K	4"	Fine	10,000

Material: Aluminum Oxide



C2013K
C3013K
C4013K
Coarse



C2023K
C3023K
C4023K
Medium



C2033K
C3033K
C4033K
Fine

Surface Conditioning Disc Kit



1" Surface Conditioning Disc Kit

- * 1" Disc Holder x1pc
 - * Mandrel: 1pc - 1/4"x20 or 6mm x 1.0
 - * 1" Paint & Rust Remover x1pc
 - * 1" Conditioning Disc x3pcs
 - * 1" Abrasive Discs x6pcs
- RPM: 30,000

ACR10K



1-1/2" Surface Conditioning Disc Kit

- * 1-1/2" Rubber Disc Holder x1pc
 - * Mandrel: 1pc - 1/4"x20 or 6mm x 1.0
 - * 1-1/2" Paint & Rust Remover x1pc
 - * 1-1/2" Conditioning Disc x3pcs
 - * 1-1/2" Abrasive Discs x6pcs
- RPM: 20,000

ACR15K



- * Disc Holder: 1pc
 - * Mandrel: 1/4"x20 or 6mm x 1.0
 - * Surface Conditioning Disc: 4pcs
- RPM: 20,000~30,000

**CR205D
CR305D**

Diameter: 2" & 3" are available.



- * 2" Disc Holder: 1pc (RPM:30,000)
- * 3" Disc Holder: 1pc (RPM:20,000)
- * Mandrel: 2pcs - 1/4"x20 or 6mm x 1.0
- * 2" Surface Conditioning Disc: 4pcs.
- * 3" Surface Conditioning Disc: 4pcs.

C2305D



- * Disc Holder: 1pc
 - * Mandrel: 1/4"x20 or 6mm x 1.0
 - * Conditioning Disc x3pcs
 - * Abrasive Disc x6pcs
 - * Paint & Rust Remover x1pc
- RPM: 20,000~30,000

**AR205K10
AR305K10**

Diameter: 2" & 3" are available.



- * Disc Holder x1pc
 - * Mandrel: 1/4"x20 or 6mm x 1.0
 - * Conditioning Disc x3pcs
 - * Abrasive Disc x15pcs
- RPM: 20,000~30,000

**AR205K20
AR305K20**

Diameter: 2" & 3" are available.

2" & 3" Surface Sanding Disc Kit



CRF205K
CRF305K

- * Dia: 2" & 3" are available
- * Roloc Holder: 1pc
- * Wool Sanding Pad: 1pc
- * Conditioning Disc: 3pcs

CRE205K
CRE305K

- * Dia: 2" & 3" are available
- * Roloc Holder: 1pc
- * EVA Sanding Pad: 1pc
- * Conditioning Disc: 3pcs



CRU205K
CRU305K

- * Dia: 2" & 3" are available
- * Roloc Holder: 1pc
- * Sanding Pad: 1pc
- * Conditioning Disc: 3pcs



BCM250K
BCM305K

- * Dia: 2" & 3" are available
- * Roloc Holder: 1pc
- * Stripping Disc: 2pcs
- * Conditioning Disc: 2pcs

Mandrel (required by customer)



Surface Conditioning Abrasive Disc Kit



A2305K
 * 2" Disc Holder: 1pc
 * 3" Disc Holder: 1pc
 * Mandrel: 2pcs-
 1/4"x20 or
 6mm x 1.0
 * 2" Abrasive Disc: 4pcs
 * 3" Abrasive Disc: 4pcs
 Material: Aluminum Oxide
 RPM: 20,000~30,000



AR205K
AR305K
 * Disc Holder: 1pc
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * Abrasive Disc: 4pcs
 Material: Aluminum Oxide
 RPM: 20,000~30,000
 Diameter: 2" & 3" are available



ZR205K
ZR305K
 * Disc Holder: 1pc
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * Abrasive Disc: 4pcs
 Material: Zirconia
 RPM: 20,000~30,000
 Diameter: 2" & 3" are available



FM207K
2" Felt Pad Conditioning Disc Kit
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * 2 Felt Pad: 6 pcs
 (Center:6mm)
 (Thickness:10mm)
 Material: Synthetic
 RPM: 20,000
 Diameter: 2" & 3" & 4" are available.



BM207K
2" Surface Conditioning Disc Kit
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * 2" Paint & Rust Remover x6pcs.
 Material: Aluminum Oxide
 RPM: 20,000



BCM207K
2" Surface Conditioning Disc Kit
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * 2" Paint & Rust Remover x2pcs.
 * 2" Conditioning Disc:
 Black x2pcs
 Red x2pcs
 Grey x2pcs
 RPM: 20,000



CM207FK
2" Surface Conditioning Disc Kit
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * 2" Conditioning Disc x6pcs
 RPM: 20,000



CM207MK
2" Surface Conditioning Disc Kit
 * Mandrel: 1/4"x20 or
 6mm x 1.0
 * 2" Conditioning Disc x6pcs
 RPM: 20,000

3" Sander / Buffer Versatility Kit



- * Roll on holder x 1pc (6mm or 1/4")
- * 3" Sanding pad x 1pc
- * wool buff + sponge x each 1pc
- * Aabrasive paper x 10pcs

UR315K



- * 3" sanding pad x 1pc
- * Sanding sponge x 6pcs
- * Sanding paper x 10pcs
- * Polishing sponge x 2pcs

HEF302PK



- * Hand polishing board x 1pc
- * Sanding sponge x 6pcs
- * Sanding paper x 10pcs
- * Polishing sponge x 2pcs

UH302PK



- * 3" Sanding pad x 1pc (6mm or 1/4")
- * Sanding sponge x 6pcs
- * Sanding paper x 10pcs
- * Polishing sponge x 2pcs

UC302DPK



- * 3" Sanding pad x 1pc (6mm or 1/4" or 5/16")
- * Wool buff + sponge x each 1pc
- * Abrasive paper x 10pcs

UC302AK



- * Hand sanding board x 1pc
- * Abrasive paper x 5pcs
- * Required by customer

UH482K



- * Hand sanding board x 1pc
- * Abrasive paper x 5pcs
- * Required by customer

UH532K



- * Hand sanding board x 1pc
- * Abrasive paper x 5pcs
- * Required by customer

UH662K



- * Hand sanding board x 1pc
- * Abrasive paper x 5pcs
- * Required by customer

UH632K



- Polishing pad w/sponge
- * Hand sanding board x 1pc
- * Polishing sponge x 1pc
- * Required by customer

UH482 W/Sponge

Sanding Drum & Sanding Sleeve Kit




Cartridges & Spiral Roll Set

- * Mandrel: 1/4"x20 or 6mm x 1.0
- * Cartridge Roll: 3/8" x 1-1/2" x 1/8" #120 x 5pcs
- * Spiral Cartridges: 1/2" x 2" x 1/8" #80 x 5pcs

CS10K

RPM: 25,000



Sanding Cartridges Kit

- * Mandrel: 2pcs-1/4"x20 or 6mm x 1.0
- * Tapered Cartridge: 2" x 1/2"; #80 x 10pcs; #120 x 10pcs
- * Cylinder Cartridge: 1-1/2" x 1/2"; #80 x 20pcs; #120 x 10pcs

CS50K

RPM: 25,000



ϕ 1/2" x 1/2"

Rubber Sanding Drum

Sanding Sleeve x 10PCS
Shank: 3mm

D012K



ϕ 3/8" x 1/2"

Rubber Sanding Drum

Sanding Sleeve x 10PCS
Shank: 3mm

D038K



ϕ 1/4" x 1"

Sanding Sleeve

Sanding Sleeve x 10PCS
Shank: 6mm

D014K



ϕ 3/4" x 1"

Rubber Sanding Drum

Sanding Sleeve x 10PCS
Shank: 6mm or 1/4"

D034K



ϕ 1" x 1"

Rubber Sanding Drum

Sanding Sleeve x 10PCS
Shank: 6mm or 1/4"

D100K

RD012-1

1/2" x 1" Rubber Drum

1. Dia: 1/2"
2. Height: 1"
3. Shank: 1/4"

RD012-2

1/2" x 1" Rubber Drum

1. Dia: 1/2"
2. Height: 1"
3. Shank: 3mm

RD038-1

3/8" X 3/4" Rubber Drum

1. Dia: 3/8"
2. Height: 3/4"
3. Shank: 3mm



Rubber Sanding Drum & Sanding Sleeve

Item No.	Shank	Dia.	Height
RD038 (S)	3mm	φ3/8"	1/2"
RD012 (S)	3mm	φ1/2"	1/2"
RD034 (S)	6mm or 1/4"	φ3/4"	1"
RD100 (S)	6mm or 1/4"	φ1"	1"
RD112 (S)	6mm or 1/4"	φ1-1/2"	1-1/2"
RD200 (S)	6mm or 1/4"	φ2"	1-1/2"



SD2500K
SD2500KB
25 pcs Rubber Sanding Drum Set

RD038
RD012
RD034
RD100
RD112
RD200



Sanding Drum

RD038S
RD012S
RD034S
RD100S
RD112S
RD200S



Sanding Drum with Sanding Sleeve



φ: 3/4" & 1"
Sanding Drum & Sleeve
Shank: 6mm or 1/4"

D-12PC



φ: 3/8" & 1/2" & 3/4" & 1"
Sanding Drum & Sleeve
Shank: 3mm & 6mm or 1/4"

D-20PC



S-5PC



S-6PC



S-10PC



S-12PC

Straight Line Sander and Sanding Pad

Premium Quality

Super Efficiency

Extreme Durability

Lower Vibration









TA-3001

Item No.	Stroke Speed	Stroke	Av.g. Air Cons	Pad Size	Net Weight
TA-3001	4000 strokes/min	4mm	0.11m ³ /min	55x96mm 40x97mm 36x96mm	0.40kg

Used with mini air compressor

Standard Accessories

 TA-3001 Straight Line Sander	 39600 Base Plate 55x96mm	 33401 Standard Sanding Pad 55x96mm	 39606 Surface Sanding Pad 40x97mm	 Abrasive Paper	 36400 36400 Polishing Series/ Woodwork Surface 36x93mm- 1set
--	---	---	---	---	---


Special Sanding Pads



Hand Sander series




39700 Hand Sander






39401 Sanding Board


Sanding Pads Combination – For Straight Line Sander



Hand Sander Combination



Oil Filter Wrench Kit



It is easy to using an oil filter wrench to replace the oil filter on an automobile as part of an oil change.

Two type of the wrench to use.



Size	Point	Suitable for Motorcar	Size	Point	Suitable for Motorcar
64 m/m	P-14	TOYOTA NISSAN	79 m/m	P-15	FORD DAIHATSU
67 m/m	P-14	FORD MAZDA	84 m/m	P-18	FERRARI CITROËN RENAULT
73 m/m	P-14	TOYOTA NISSAN	86 m/m	P-14	MITSUBISHI MOTORS MAZDA
73 m/m	P-15	CHRYSLER MITSUBISHI MOTORS GM	89 m/m	P-15	MITSUBISHI MOTORS HONDA HONDA CIVIC
73 m/m	P-30	FORD GM	91 m/m	P-12	PEUGEOT CITROËN RENAULT
74 m/m	P-8	FIAT	91(A) m/m	P-15	TOYOTA NISSAN
74 m/m	P-14	BMW Audi VW	91(B) m/m	P-15	FORD CHRYSLER FIAT GM
74 m/m	P-15	CHRYSLER DODGE GM	92 m/m	P-15	TOYOTA HONDA HONDA CIVIC
75 m/m	P-15	CHRYSLER GM	95 m/m	P-15	FORD CHRYSLER GM VOLVO
76 m/m	P-12	FORD MITSUBISHI MOTORS MAZDA DAIHATSU	101 m/m	P-15	TOYOTA MITSUBISHI MOTORS MAZDA DAIHATSU
78 m/m	P-15	TOYOTA HONDA NISSAN ACCORD			

Sponge With Velour Backing



Item No.	Dia.	Thickness
FF200Y-30	2"	30mm
FF300Y-30	3"	30mm
FF400Y-30	4"	30mm
FF500Y-30	5"	30mm
FF600Y-30	6"	30mm
FF700Y-30	7"	30mm
FF800Y-30	8"	30mm



Item No.	Dia.	Thickness	Color
EL200Y-25 / EL200W-25	2"	25mm	Yellow/White
EL300Y-25 / EL300W-25	3"	25mm	Yellow/White
EL400Y-25 / EL400W-25	4"	25mm	Yellow/White
EL500Y-25 / EL500W-25	5"	25mm	Yellow/White
EL600Y-25 / EL600W-25	6"	25mm	Yellow/White
EL700Y-25 / EL700W-25	7"	25mm	Yellow/White
EL800Y-25 / EL800W-25	8"	25mm	Yellow/White

Wool Pad



Backing for FL200, FL300, FL500, FL700



Backing for FL508, FL708

Item No.	Dia.	Type
FL200	2"	Velour Backing
FL300	3"	Velour Backing
FL500 / FL508	5"	Velour Backing / Tie On
FL700 / FL708	7"	Velour Backing / Tie On

Sheng Chn Memo

A series of horizontal dashed lines for writing.

Sheng Chn Memo

A series of horizontal dashed lines for writing.



聖進實業有限公司 台中市太平區成功路29巷23號

SHENG CHN ENTERPRISE CO., LTD.

No. 23, Ln. 29, Cheng Kung Rd., Taiping Dist., Taichung City 41166, Taiwan

TEL : 886-4-22750235, 22754643, 22774250, 22793625

FAX : 886-4-22734261

E-mail : shengchn@ms49.hinet.net

http ://www.shengchn.com